



## Vibhitaka [*Terminaliabellicrica (Gaertn) ROXB*] its classical and ethnomedicinal uses – Critical review.

RekhaR.<sup>1</sup>, Dr. N.Manojkumar<sup>2</sup>, Dr. Vidhya Unnikrishnan<sup>3</sup>

<sup>1</sup>P.G scholar Dept. of Dravyagunavijnana, V.P.S.V Ayurveda college kottakkal, Malapuram

<sup>2</sup>Professor & HOD Dept. of Dravyagunavijnana, V.P.S.V Ayurveda college Kottakkal, Malapuram

<sup>3</sup>Assistant professor Dept. of Dravyagunavijnana, V.P.S.V Ayurveda college Kottakkal, Malapuram

Corresponding Author: **RekhaR.**

**ABSTRACT:** *Vibhitaka [Terminaliabellicrica (Gaertn)]* has been used extensively in Ayurveda. The drug possess *katu, tiktha, kashaya rasa, madhuravipaka* and *ushnavirya*. It has action on different diseases like *kasa, pandu, apatantraka, hridroga, netraroga etc*. The drug is responsible for the therapeutical actions like anti inflammatory, antibacterial, analgesics and bronchodilatory due to have been scientifically proven. Apart from Ayurvedic classics, *vibhitaka* has been used for various ethnomedicinal purposes by tribes in the country.

**KEY WORDS:** *Vibhitaka (Terminaliabellicrica)*, Ayurveda classics, Ethnomedicinal claims.

### INTRODUCTION

*Vibhitaka* is one among the ingredient of *triphala*, Which has been in use since ancient times. Rigveda, mentions the use of *vibhitaka* for making dice, furniture and boat set<sup>1</sup>. Acharya caraka included *vibhitaka* in *virechanopaga, jwaraharagana*<sup>2</sup> and Acharya susruta included it in *mustadi and triphaladigana*<sup>3</sup>.

*Terminaliabellicrica* belongs to the family combretaceae. The generic name “*Terminalia*” is derived from Latin word “*terminus* or *terminalis*”, which mean the leaves being crowded or born on the tip of the shoots. It is a large deciduous tree grows up to 60 ft height. Leaves are gathered at the extremities of branches, which are simple, elliptic. Flowers are greenish yellow with offensive odour. Fruit are drupe, 1 to 2.5 cm in diameter, ovoid, grey in colour. The useful parts are fruit, kernel and bark. In medicinal preparations fruit are commonly used. It is found in plains and lower hills of south east Asia. In India it is growing in Madhya Pradesh, Uttarpradesh, Maharashtra and Kerala. In Kerala mostly seen in Malabar region<sup>4</sup>.

Myrobalan contain various phytoconstituents such as glycosides, flavanoides, tannin and phenolic compounds, which are responsible for various pharmacological activities like antimicrobial, antipyretic, antidiabetic and bronchodilatory. The term ‘*Vibhitaka*’ means it remove the fear of disease and cut the disease from the root itself.<sup>5</sup> The drug has *kashaya rasa, laghu, rookshaguna, madhuravipaka, Ushnavirya and tridosha samana*<sup>6</sup>. It alleviates the *dushti of rasa, raktha, mamsa, medas*, and it is used in different forms in diseases like *kasa, swasa* and it also has a synonyms ‘*kasagni*’, this term reveals the important of the drug in respiratory ailments. This drug is used in other diseases like *premeha, sopathandu etc*. *Taila*, which is taken from kernel possess *kesya* property. Other than the classical text it also being used traditionally by different tribes in the country.

### MATERIALS AND METHODS

Compilation and tabulation of classical uses of *Vibhitaka* were done from classical text, Nighantus, and Ethnomedicinal claims were collected from internet publication and Journal's. The tabulated data were analysed.

**Table.1 Rasa panchaka of vibhitaka**

S.L	Classical text	Rasa	Guna	Veerya	Vipaka	Prabhava
1	DN <sup>7</sup>	-	Laghu, sara	-	Katu	-
2	SON <sup>8</sup>	KashāyaMadhuram	Laghu, sīta	Sīta	-	-
3	MPN <sup>9</sup>	Kashāya	Rūksha	Ushna	Madhura	-
4	RN <sup>10</sup>	Katu ,tikta, Kashāya	Laghu	Ushna	Madhura	-
5	KDN <sup>11</sup>	Kashāya	Rūksha,laghu	Ushna	Madhura	-
6	BP <sup>12</sup>	Kashāya	Laghu,Rūksha	Ushna	Madhura	-
7	SG <sup>13</sup>	Katu,tiktha,Kashāya	Laghu	Ushna	Madhura	-
8	PN <sup>14</sup>	Kashāya	-	Ushna	-	-

There are different opinion about the *rasa panchaka* of *vibhitaka*. Majority of *nighantu* mentions, *vibhitaka* possess *kashaya rasa*. As per *Raja* and *Sodhalanighantu* *rasa* of *vibhitaka* is *katutikthakashaya* and *kashayamadhura* respectively. Other than *Sodhalanighantu*, all other *nighantu* mentions, *vibhitaka* as an *ushnaviryadravya*. *Vibhitaka* possess *madhuravipaka*, *Dhanwanthari nighantu* consider it as a *katuvipaka*

**Table 2. Karma of vibhitaka**

SL N.O	Karma	DN	S0N	M.P.N	RN	KD	BP	SA	SG	PN
1	Bhedanam			+		+	+			
2	Krimihara						+		+	
3	Swasakāsahara	+	+	+		+	+		+	+
4	Kesyam	+	+	+		+	+			+
5	Netryam		+	+	+	+	+	+		
6	Madakrit			+		+	+			
7	Vaiswaryajith	+				+	+			
8	Palithagnam				+					
9	Chardigna						+	+		
10	Vaktrarogna	+								
11	Switram		+			+				
12	Pāndu		+			+				
13	Varnyam					+				
14	Śukraharam		+			+				

**Table 3. Uses in samhitas**

SL. NO	Disease	Therapeutical uses	References	Kalpna	Mode of administration	Scientific validation
1	Garbhini	<i>Yoni purana</i> in retained placenta <sup>15</sup>	C.sa 8/41	Kalka	External	Study of the effect of Myrobalan bark extract on isolated rat uterus (Lalyong

						.et al. 2013) <sup>16</sup> .
2	Premeha	<i>Vibhitaka</i> along with <i>rohitaka</i> and <i>kutajamade</i> to choorna and can be given <i>kapha</i> – <i>pithapreme</i> ha + honey <sup>17</sup>	C.chi 6/36	Choorna	Internal	<i>Terminalia bellirica</i> stimulate the secretion and action of insulin and inhibit starch digestion and protein glycon in vitro (V kasabari et al. 2010.) <sup>18</sup>
3.		<i>Akshataila</i> used internally for <i>snehapana</i> before <i>sodhana</i> <sup>19</sup>	AH.chi12/1	Taila	Internal	Anti diabetic and antioxidant activity of <i>Terminalia bellirica</i> . (Sabu et al.2009) <sup>20</sup>
4	Sopha	<i>Phalamajjalepanam</i> cure all kind of <i>sopha</i> associated with <i>daha</i> . <sup>21</sup>	C.chi 12/717	<i>Kalka</i>	External	The drug has properties like decreasing lipid peroxide action and reducing the mediator of inflammation like histamine, COX2 and prostaglandin and several other mediators. (Shameertodengal et al 2012). <sup>23</sup>
5.		<i>Vibhitakakalkam</i> with <i>tandulambu</i> <sup>22</sup>	A.S chi 19/3	Kalka	External	
6	<i>Kasa</i>	<i>Leha</i> prepared with <i>pippali</i> , <i>vibhitaki</i> added with <i>honey</i> – <i>kaphaja kasa</i> . <sup>24</sup>	AH.chi3/46 -47	Leha	Internal	A clinical study of the anti-tussive and anti asthmatic effect of <i>vibhitakaphalachoorna</i> in the case of <i>swasa - kasa</i> . (V.P Trivediet al. 1979) <sup>25</sup> .
7		<i>Mukhadharana</i> of <i>vibhitaka</i> <sup>26</sup>	AH.chi 5/60			Anti-Spasmodic and Bronchodilatory Properties of

						<i>Terminaliabellica</i> Fruit, (Anwarul Hassan Gilani, Arif-Ullah Khan, Tuba ali, SaadAjmal ) <sup>27</sup>
8	Netryam	<i>Vibhitakasthim</i> <i>ajj</i> with honey <i>curevrana</i> <i>sukra</i> <sup>28</sup>	AH.U 3/46-47		External	-
9	Palitham	Akshataila used for graying of hair <sup>29</sup>	A.H.Su 5/65	Taila	External	-
10	Apatantr aka	Powder of <i>mustha</i> <i>,pippali,nagar</i> <i>a,athivisha,vib</i> <i>hitaka</i> ,along with wine or warm water cure <i>apatantrak</i> <i>a</i> <sup>30</sup>	A.S chi .23/21	Choorna	Internal	-
11	Pandu	Powder of <i>vibhitaki</i> alon g with <i>ayachoor</i> <i>n</i> <i>,nagarachoor</i> <i>n</i> ,and <i>tilachoor</i> <i>n</i> atake equally mix with equal amount of jaggery can be use severe <i>pandu roga</i> . <sup>31</sup>	A.S chi 18/9	Choorna	Internal	-
12	Switrakri mi	<i>Vibhitakataila</i> mixed with cobra snake ash for rubbing over the lesion <sup>32</sup>	A.S chi 22/22	Taila	External	-

Table 4. Uses in samgraha

SL.NO	Disease	Therapeutical Uses	Reference	Kalpana	Mode of administration	Scientific validation
13	Jwara	Paste of kernel of <i>vibhitakais</i> beneficial in burning sensation in jwara <sup>33</sup> .	V.M 1/161	Kalkam	Internal	Anti-Salmonella Activity of Terminaliabellica In vitro and in vivo Studies. (madani et al.2008) <sup>34</sup> Screening of Terminaliabellica Fruits Extracts for its Analgesic and Antipyretic Activities.(sharma et al.2009) <sup>35</sup>
14	Kasa	<i>Mukhadharana of abhaya,sunti,kana,vibhitaka</i> or only <i>vibhitaka</i> in mouth cure <i>kasa ,swasa</i> <sup>36</sup>	V.M11/43	Kashaya	Internal	Antispasmodic and bronchodilatory properties of terminaliabellica fruit (A .h gilani et al 2008) <sup>37</sup>
15		<i>Vibhitaka</i> added with <i>gritha</i> and covered with cow dung then steamed and held in mouth <sup>38</sup>	L.R 3/20  CD11/27	Gritham	Internal  Internal	Anti-Spasmodic and Bronchodilatory Properties of Terminaliabellica Fruit, (Anwarul Hassan Gilani et al. ) <sup>39</sup>
16		<i>Mukhadharana of vibhitaka</i> <sup>40</sup>				
17	Swasa	<i>Vibhitakichoorana</i> with honey <sup>41</sup>	R.M 11/5	<i>Choorna</i>	Internal	-

18	Parinama sula	Intake of fayachurna cooked with juice of <i>aksha</i> , <i>amalaka</i> ,and <i>siva</i> mixed with jiggery <sup>42</sup> .	V.M 27/50	<i>Choorna</i>	Internal	The anti-ulcer activity of ethanolic extract of <i>Terminaliabellica</i> fruits ETB was investigated in pylorus ligation and ethanol induced ulcer models in wistar rats. <sup>43</sup> ( Gpchoudari et al .)
19.	Netraroga	Akshamajja rubbed with stanya cure vranasukra . <sup>44</sup>	R.M 3/16	Kalkam	External	Saha et al. (2011) postulated that the paste of <i>Terminaliabellica</i> have proper efficacy on wound healing. <sup>45</sup>
20	Hridgathavatha	<i>vibhitaka</i> and aswagandha made to paste and taken with hot water and honey. <sup>46</sup>	V.S	Kalkam	Internal	-
21	Athisara	<i>Vibhitaka</i> along with <i>saindhava</i> . <sup>47</sup>	V.S 5/172	Choorna m	Internal	Antidiarrhoeal activity was performed using castor oil induced diarrhoea ,PGE2 induced entero pooling and gastrointestinal motility test ( bimleshkumar et al 2010) <sup>48</sup>
22	Switra	Seed of avalguja , bakuchi taken with <i>vibhitakitwak</i> and root of <i>kakodumbara</i> <sup>49</sup>	C.K	Kalkam	External	-
23	Pandu	<i>Vibhitakalavana</i> taken with <i>takra</i> and <i>madhu</i> . <sup>50</sup>	C.K	Lavana	Internal	-

24	Swarabheda	Choorna of vibhitaka, pippali, saidavam with takra to alleviate swarabheda <sup>51</sup> .	CD 13/9	Choorna	Internal	-
25		Powder of vibhitaka, saindava, pippali along with kanji. <sup>52</sup>	R.M 10/3.	Choorna	Internal	

**Table 5. Uses in kerala traditional books**

SL.NO	Disease	Therapeutical Uses	Reference	Kalpna	Mode of administration	Scientific validation
26	Timira	Decoction of vibhitaki, bringaraja, asana added with tilataila used for nasya <sup>53</sup>	S.Y	Taila	Nasya	Evaluation of anticataract potential of triphala in selenite induced cataract : invitro and in vivo studies . (S.kGuptha et al 2010) <sup>54</sup>
27	Ballathakavisha	Lepana of rind or bark <sup>55</sup>	S.Y	Kalkam	External	-
28	Jwara in ballathakavisha	Akshakwatha added with honey, sitha, jeeraka <sup>56</sup>	A.K.D	Kashaya	Internal	-
29		Kwatha prepared with laksha and aksha.	A.K.D	Kashaya	Internal	
30		Drug aksha grinded with	A.K.D	Kalkam	External	

		buttermilk is applied externally cure allergic eruption <sup>57</sup>				
31	<i>Udumba ravisarpa</i>	Seed of <i>aksha</i> , <i>manjishta</i> , <i>maduka</i> are grinded with <i>nalikeradugdha</i> is applied externally cure disease <sup>58</sup>	A.K.D 18/111	<i>Kalkam</i>	External	-
32	Valmika visarpa	Seed of <i>aksha</i> and flower of <i>madhuka</i> are grinded with <i>masthu</i> is applied externally. <sup>59</sup>	AKD18/121	<i>Kalkam</i>	External	-
33	Switra	<i>Avagujabeeja</i> with <i>vibhitakakashaya</i> taken in the morning <sup>60</sup>	C.M	<i>Kashayam</i>	Internal	-

**Table 6. Ethnomedicinal claims**

SL.NO	Disease	Ethno medicinal claims	Kalpana	Mode of administration
34	Teeth	Tribals of Ayodya hills use leaves and root paste to cure body pain and stem used as tooth brush. <sup>61</sup>	Kalka	External
35	Acene	Tribal women of Assam apply the paste of fruit to remove pimple spot.it also used as hair tonic . <sup>62</sup>	Kalka	External
36	General debility	Sanatal and oraons prescribe stem bark decoction for general debility. <sup>63</sup>	Kashaya	Internal
37	Leprosy	Treat leprotic wounds with paste of <i>vibhitaka</i> . <sup>64</sup>	Kalka	External
38	Leucoderma	Lodhas use stem bark paste to cure leucoderma <sup>65</sup>	Kalka	External
39	Gastrointestinal Problems	Tribals of Ranji district use dry fruit for stomach disorder <sup>66</sup>		Internal
40	Mouth disorder	Decoction of <i>vibhitaka</i> used for tooth ache ,sore throat ,bleeding gum <sup>67</sup>	Kashaya	Internal
41	Diarrhoea	. For dysentery and stomach pain dried	Panaka	Internal

		fruits are soaked in one cup water followed by drinking the water on an empty stomach for 1-2 days. During this time, flattened rice has to be taken as meal. <sup>68</sup>		
42	Erectile dysfunction	The fruits of <i>Terminaliabellica</i> , (Gaertn.) Roxb. <i>Terminaliachebula</i> , and <i>Phyllanthusemblica</i> are mixed with <i>Abrusprecatorius</i> root and taken with cow's milk to cure erectile dysfunction <sup>69</sup> .	Churnam	Internal
43	Diphtheria	<i>Vibhitakachooram</i> take with hot water cure diphtheria <sup>70</sup>	Churnam	Internal
44	Malaria	Stem used for making tooth brush in malaria <sup>71</sup>	Churnam	Internal
45	Infertility	<i>Terminaliabellica</i> (Gaertn.) Leaves are used for Offerings in Infertility, Diabetes <sup>72</sup> .	Kalka	External
46	Vomiting	Paste of two or three tender leaves are prepared and is given thrice a day to cure vomiting and loose motion <sup>73</sup> .	Kalka	Internal

## DISCUSSION

The study of traditional and ethno medicinal uses of medicinal plants is an effective way to explore the wide therapeutical applicability. Different simple combinations of *vibhitaka* can be seen in many diseases. Analysing the Ayurveda classics, we can understand that the drug *vibhitaka* works on multisystem level. The drug has *kashaya rasa*, *laghu*, *rukshaguna*, *madhuravipaka*, *Ushnavirya* and *tridoshasamaka*. It alleviates the *dushti of rasa*, *raktha*, *mamsa*, *medas* and *asthi*.

Analyzing both Ayurvedic classics and ethnomedicinal practices across the country, got 46 simple combinations for various diseases. *kalka* is the most common mode of administration, which used as both internal and external. The drug mentioned in the context of *premeha*, *aparapatana*, *sopa*, *kasaswasa*, *vatavyadhi*, *hridroga*, *mukharoga* and also *urdwagarogas*. Various tribal communities are now practicing different simple combinations of *vibhitaka* for ailments like rheumatological conditions, skin disease, general debility, gastrointestinal, genitourinary diseases, *mukharoga* and also using for offering to god to get progeny. *Vibhitaka* has action on *bahya*, *abhyanthara* and *madhyamarogamarga*. But the use of *Vibhitaka* in clinical practice restricted to only *triphalachooram*. Apart from *Triphala*, it has a lot of combinations in different diseases. But some of them have no evidence for supporting this data.

## CONCLUSION

The drug *vibhitaka* works on different systems of the body. It cures the diseases affecting the *trirogamargas*. There are around 46 simple formulations mentioned in classics. It has been used for *swasa*, *kasa*, *pandu*, *switra*, *krimi*, *apatatraka*, *hridroga*, etc. Most of the *karmas* scientifically proved by modern era. The chemical constituents such as Gallo-tannic acid, resins, Ellagic acid, gallic acid, lignans, 7-hydroxy 3'4' flavone, Tannins, chebulic acid,  $\beta$ - sitosterolmannitol are believed to be responsible for this action. Therefore, this plant is significantly used for the treatment and prevention of diseases. But some therapeutical uses have no scientific evidences to support the data. Therefore, conducting further studies will be beneficial for healthcare system.

## REFERENCES

1. Singh manish et al, CODEN (USA): PCJHBA Ethno and Modern Pharmacological Profile of Baheda (Terminaliabellica): A Review. 2018.
2. Yādavjitrikamji Acharya (editer ) ,Cakrapani commentary of Charakasamhithasutrasthana , Varanasi ;Chowkambakrishnadas academy ; 2008;4 / 27,39.p. 33,34.
3. Yadavjitrikamjiācharya, Dalhana commentary of susruthasamhitha, Chowkhambha Sanskrit sansthan Varanasi; 2013, 38/56-57, p.168.
4. Kirthikar K .R,Basu B...D , Indian medicinal plants ,ed.1<sup>st</sup>vol 2, 1975; p.1019
5. Sharma priyavrath, *Namarūpajanam*, 1 st ed. Satyapriyaprakasan; 2000, p. 13
6. YadavjiTrikamji Acharya (editor). Carakasamhitha (ayurvedadipika commentary of cakrapānidatta, 7th ed. Varanasi: chaukambasubharathiprakashan: 2008 p.487 27/147.
7. Singh .Amritapal( Editer ), Dhanwantharinighantu 1st ed. Chaukhama publishers Varanasi ;2008,p. 63.
8. Gyannedrapandey ( Editer ) , SodhalaNighantu , chowkhamakrishnadas academy ;1<sup>st</sup> ed. 2009,p. 221 1/ 226-227.
9. TripathiHariprasad,(Editer ) , Madanapalanighantu ,1st ed. Chaukhamba Krishna das academy Varanasi; 2001; p.7. 1/ 29-305
10. Tripathiindradeva ( editer) , Rajanighantu, ed 6<sup>th</sup> ,Chowkhamba Krishna das academy varaasi;2013, p. 387/ 230- 232
11. Priyavrathsharma , kaiyadevanighantu , 2<sup>nd</sup> ed. Chowkhambaorientalia, 2006, p. 48/241-242
12. Chuneekar . Krishna Chandra, bhavaprakasanighantu ,chaukambabharathi academy ,2018; p.9/35-37.
13. Saligramavaisya , *sāligramanighantu*, 1 st ed. Khemrajsreekrishna das ; 2004 ,p. 79
14. Priyavrathsarma ,priyanighantu, Chaukhambabhavan Varanasi ; 2004 ,p.7/ 13.
15. R.K Sharma and Bhagwan Dash.Charakasamhithasarirasthana ,Varanasi ;Chowkambakrishnadas academy ; 2010 ; 8/41 ,p. 496
16. Yong lal et al , study of the effect of myrobala bark extracts on isolated rat uterus .Journal of Dali university 2 ,2013
17. R.K Sharma and Bhagwan Das. Charakasamhithachikitsasthana ,Chowkambakrishnadasacademy Varanasi ; 2010 ; 6/36
18. V kasabari et al., Terminaliabellica stimulate the secretion and action of insulin and inhibit starch digestion and protein glycation in invitro . British journal of nutrition. 2010.103(2) 212- 217.
19. M sabu et al ,Antidiabetic and anti oxidant activity of terminaliabellica . Research journals Indian journal of experimental pharmacology. 2009, Vol. 47 ( 4).
20. Sadasivasastriparadakara ( editor) , AshtangaHridayamchikitsa commentary of sarvangasundara, Chowkhamba publication Varanasi;2016;12/1 ,p. 678
21. R.K Sharma and Bhagwan Das. Charakasamhithachikitsasthana , Chowkambakrishnadas academy Varanasi ; 2010 ; 12/36
22. K.R Sreekanthamoorthy , Astangasamgrahachikitsasthana English translation, Chaukhambaorientalia Varanasi , edi.9: 2009 ; 19/3 , p.482
23. Shammertodengal. A preliminary analysis on anti-allergic potential of fruit rind of vibhitakaAninvitroinvivo study [MD dissertation]. Kottakkal: Kerala University of health sciences;2012.
24. K.R Sreekanthamoorthy ,Astangasamgrahachikitsasthana English translation , Chaukhambaorientalia Varanasi , edi.9: 2009 ; 22/22 , p.515.
25. Gilani et al ., Mechanisms underlying the antispasmodic and bronchodilatory properties of terminaliabellica fruit .Journal of ethnopharmacology . 2008 .Vol 116(3) p; 528-538.

26. Sadasivasastriparadakara ( editor) , AshtangaHridayamchikitsa commentary of sarvangasundara, Chowkhamba publication Varanasi;2016; 3/46-47 , p. 590.
27. Khan Arifullah et al., Antisecretory and analgesic activities of *Terminaliabellirica*. African journal of Biotechnology 2010; May 3. 9(18),p: .2717- 2719
28. Sadasivasastriparadakara ( editor) , AshtangaHridayamchikitsa commentary of sarvangasundara, Chowkhamba publication Varanasi;2016; 3/164 , p. 601.
29. sastriparadakara ( editor), AshtangaHridayamsutrasthana, commentary of sarvangasundara, Chowkhamba publication Varanasi;2016; 5/69 , p. 81
30. .K.R Sreekanthamoorthy, Astangasamgrahachikitsasthana English translation, Chaukhambaorientalia Varanasi , edi.9: 2009 ; 23/21, p.525.
31. KR Sreekantamoorthy,Astangasamgrahachikitsasthana English translation, Chaukhambaorientalia Varanasi , edi.9: 2009 ; 18/9, p.472
32. KR Sreekantamoorthy ,Astangasamgrahachikitsasthana English translation, Chaukhambaorientalia Varanasi , edi.9: 2009 ; 22/22.
33. Premavathithewari , Asha kumariVrindaMadavam (edited and translated ). Varanasi. Chaukambhaviswabharathi ; edition 1st .2006 ;1/161, p.32
34. Madani et al .Anti salmonella activity of terminaliabellirica /: invitro and invivostudies.Indian journal of experimental biology . 2008 .vol 46 (12) . p; 817- 821.
35. Sharma S U, Sharma U S, Singh A, Sutar N and Singh P J, Screening of Terminaliabellirica fruits extracts for its analgesic and antipyretic activities, Jordan J Bio Sci, 2012, 3(3), 121-124.
36. Premavathithewari ,AshakumariVrindaMadavam (edited and translated ). Varanasi. Chaukambhaviswabharathi ; edition 1st .2006 ; 11/43,p.242
37. Khan Arifullah et al., Antisecretory and analgesic activities of *Terminaliabellirica*. African journal of Biotechnology 2010; May 3. 9(18),p: .2717- 271.
38. Saxenanirmal ,Lolimba raja Vaidya jeevaka , Krishna das academy ,edition 1<sup>st</sup>,2000; 3/20. P. 48.
39. Gilani et al ., Mechanisms underlying the antispasmodic and bronchodilatory properties of terminaliabellirica fruit .Journal of ethnopharmacology . 2008 .Vol 116(3) p; 528-538.
40. P .V sharma , CakraDatta ( Sanskrit with English translation ), Chaukambaorientalia Varanasi ; edition 2007 ; 11/27 ,p.139.
41. K .Nishteswar , R vidyanath, Raja Marthandam ,(English translation),Chaukambaorientalia Varanasi ; edition 1<sup>st</sup>,2008 ; 11/5 . p : 38.
42. Premavathithewari ,AshakumariVrindaMadavam (edited and translated ). Varanasi. Chaukambhaviswabharathi ; edition 1st .2006 ; 27/50,p.430.
43. GP choudari et al , Anti ulcer activity of the ethanolic extract of terminaliabellirica . Journal of chemistry. 2012 p; 1293- 1297.
44. K .Nishteswar , R vidyanath Raja Marthandam ,(English translation), Chaukambaorientalia Varanasi ; edition 1<sup>st</sup>,2008 ; 3/16. p :16.
45. Saha et al , Effect of terminaliabellirica on wound healing in induced dermal wound in rabbit .Journal of pharmacology vol (2) p; 235- 241.
46. Saxenanirmal ,Vangasenasamhitha , Chowkamba Sanskrit series varanasi , ed 1<sup>st</sup>, 2004;
47. Saxenanirmal ,Vangasenasamhitha , chowkamba Sanskrit series varanasi , ed 1<sup>st</sup>, 2004; 5/172, p.120.
48. Bimleshkumar et al , Evaluation of anti diarrhoeal effect of aques and ethanolic extract of fruit pulp of terminaliabellirica in rats . International journal of drug development and research. 2010.
49. Tripatisrevishal ,Chikitsakalikatisataachrya ,Chowkambaorientalia Varanasi;1st edition; 2000; 208 p ; 172.

50. Tripatirevishal ,Chikitsakalikatisataachrya ,Chowkambaorientalia Varanasi;1st editionorientalia ,1st edition; 2000; 225 .p ; 187.
51. Aravattazhikattu Krishnanvaidyar K.V , AnekkalililGopalapilla S, Sahasrayogam,vidyarambam publishers , 32<sup>nd</sup> ed. 2013. Netrarogachikitsaadhyaya74 ,p.395.
52. Aravattazhikattu Krishnan vaidyar K.V , AnekkalililGopalapilla S, Sahasrayogam, vidyarambam publishers , 32<sup>nd</sup> ed. 2013
53. Aravattazhikattu Krishnan vaidyar K.V, AnekkalililGopalapilla S, Sahasrayogam, vidyarambampublishers, 32<sup>nd</sup> ed. 2013. Netrarogachikitsaadhyaya 74, p.395.
54. S. k Guptha et al , Evaluation of anticataract potential of triphala in selenite induced cataract :in vitro and in vivo studies .Journal of Ayurveda and integrative medicine . 2010. Vol( 4) 280 .
55. Aravattazhikattu Krishnan vaidyar K.V, AnekkalililGopalapilla S, Sahasrayogam, vidyarambam publishers , 32<sup>nd</sup> ed. 2013
56. Sreemannamboothiri, Chikitsamanjari ,Vidyarambam publishers , ed.13<sup>th</sup> , 2017 switrachikitsaadhyaya 85-86 ,p. 352.
57. Lal Krishnan, Arogyakalpadrumam, ed. 1<sup>st</sup>, Choukambha publishersVaranasi, 2006
58. Lal Krishnan, Arogyakalpadrumam, ed. 1<sup>st</sup>, Choukambha publishers Varanasi, 2006 :18/111.
59. Lal Krishnan, Arogyakalpadrumam, ed. 1<sup>st</sup>, Choukambha publishers Varanasi, 2006: 18/121.
60. Sreemannamboothiri, Chikitsamanjari, Vidyarambam publishers, ed.13<sup>th</sup>,2017switrachikitsaadhyaya 85-86, p. 352.
61. S Riazuddin Ahmed, Mohammed sidique Vedic plants medicinal and other uses, 1stedition. Varanasi; Chaukamba orientalia;2009 p. 184..
62. S .Ganesan, Traditional oral care medicinal plant survey of Tamil nadu, natural product radiance, vol. 7(2), 2008, p: 166-172.
63. Rahmatulla et al, Ethno medicinal plants of the Shingribe of moulvibazr district Bangladesh ,World Journal of Pharmacy and Pharmaceutical Science, Volume 3, Issue 10, 1529-1537
64. Rahmatulla et al, Ethno medicinal survey of Bheramara area in Kushtia district, Bangladesh
65. V.S Bhosle et al , Ethno medical Knowledge of Plants used by the Tribal people of Purandhar in Maharashtra, IndiaEthnobotanical Leaflets, 2009 13: 1353-61.
66. P .Gunasekharan et al , Ethnomedicinal uses of Sthalavrikshas (temple trees) in Tamil Nadu, southern India, journal of Ethno botany Research &Applications, issue 10: 2012 253-268
67. Kumar Ramesh, Diversity of Ethno medicinal Plants inBoridand Forest of District Korea, Chhattisgarh, India , American Journal of Plant Sciences, 2015.
68. Kumar Ramesh, Diversity of Ethno medicinal Plants inBoridand Forest of District Korea, Chhattisgarh, India , American Journal of Plant Sciences, 2015,